



23

# PREMIUM QUALITY STEEL DOORS

STEELIT® PRODUCT RANGE 2023

[www.steelitdoors.co.uk](http://www.steelitdoors.co.uk) [info@steelitdoors.co.uk](mailto:info@steelitdoors.co.uk) +44 (0) 28 9085 0610



# ROBUST YET REFINED

---

STEELIT® is synonymous with perfect finish resulting from exceptional attention to detail and outstanding execution, thus meeting the highest requirements and standards. Each individual STEELIT® internal door is made with passion and craftsmanship, according to best work practices and based on years of experience with steel, whatever the style.



# TRUE CRAFTSMANSHIP

---

At every stage in the development of our STEELIT® doors, we considered what really matters: a high-quality finish that will last for years to come.

And at STEELIT® we truly want to go that extra mile. We produce our doors exclusively on the basis of our extensive range of standard dimensions. This concept allows us to keep the price of our steel internal doors firmly down.



# WHY OPT FOR STEELIT® DOORS?

Quality finishing

Frame insert with  
mounting brackets

Swing to  
left  
or right

Choice of 3  
quality door  
handles

Rigorous silicone finish

Double layer  
laminated  
safety glass

Low-maintenance textured coating

Welded hinges

Locking points above and below

### COLOR OPTIONS



|                   |          |
|-------------------|----------|
| RAL 9005<br>Black | Standard |
| RAL 9016<br>White | Option   |

### DOOR HANDLE OPTIONS



|                                                       |          |
|-------------------------------------------------------|----------|
| Standard door handle<br>Invisible door handle *       | Standard |
| Modern door handle                                    | Option   |
| Standard & modern door<br>handle satin-finished brass | Option   |


### GLASS OPTIONS



|                 |          |
|-----------------|----------|
| Standard glas * | Standard |
| Milk glass *    | Option   |
| Cathedral glass | Option   |

(\*) Safety glass





|                              |    |
|------------------------------|----|
| DOOR COLLECTION              | 10 |
| DOOR DUO COLLECTION          | 11 |
| SLIDE COLLECTION             | 16 |
| SLIDE DUO COLLECTION         | 17 |
| SLIDE INTENSE COLLECTION     | 20 |
| SLIDE INTENSE DUO COLLECTION | 21 |
| AUTOMATIC COLLECTION         | 24 |
| WOOD COLLECTION              | 26 |
| INVISIBLE COLLECTION         | 30 |
| MODULAIR CONCEPT             | 34 |

# DOOR COLLECTION

---



# DOOR DUO COLLECTION

---



**CLASSIC 4**



**MODERN 3**



**CLASSIC 6**



**CLASSIC 8**



**CLASSIC 12**



**MODERN UNI**



**MODERN 4**



**MODERN 4E**

## STEELIT® DOOR DIMENSIONS

|                                          | Classic |   |   |    | Modern <span>NEW</span> |   |   |    |
|------------------------------------------|---------|---|---|----|-------------------------|---|---|----|
| <i>net dimensions<br/>width x height</i> | 4       | 6 | 8 | 12 | UNI                     | 3 | 4 | 4E |
| <b>775 x 2014 mm</b>                     | ✓       | ✓ | ✓ | ✓  | ✓                       | ✓ | ✓ | ✓  |
| <b>775 x 2114 mm</b>                     | ✓       | ✓ | ✓ | ✓  | ✓                       | ✓ | ✓ | ✓  |
| <b>875 x 2014 mm</b>                     | ✓       | ✓ | ✓ | ✓  | ✓                       | ✓ | ✓ | ✓  |
| <b>875 x 2114 mm</b>                     | ✓       | ✓ | ✓ | ✓  | ✓                       | ✓ | ✓ | ✓  |
| <span>NEW</span> <b>975 x 2114 mm</b>    | ✓       | ✓ | ✓ | ✓  | ✓                       | ✓ | ✓ | ✓  |
| <b>975 x 2314 mm</b>                     | ✓       | ✓ | ✓ | ✓  | ✓                       | ✓ | ✓ | ✓  |
| <b>975 x 2514 mm</b>                     |         |   | ✓ |    | ✓                       | ✓ | ✓ | ✓  |

### HOW DO I CALCULATE MY DOOR OPENING?

The secret behind every STEELIT® DOOR lies in the perfect fit between door and wall. The frame insert is fitted with mounting brackets to ensure that it can be firmly and robustly secured to the wall while providing a seamless finish.

| <i>Net width door</i> | <b>Minimum width of<br/>unfinished door opening</b> | <i>Net height door</i> | <b>Minimum height of<br/>unfinished door opening</b> |
|-----------------------|-----------------------------------------------------|------------------------|------------------------------------------------------|
| 775 mm                | <b>800 mm</b>                                       | 2014 mm                | <b>2026 mm</b>                                       |
| 875 mm                | <b>900 mm</b>                                       | 2114 mm                | <b>2126 mm</b>                                       |
| 975 mm                | <b>1000 mm</b>                                      | 2314 mm                | <b>2326 mm</b>                                       |
|                       |                                                     | 2514 mm                | <b>2526 mm</b>                                       |


## STEELIT® DOOR DUO DIMENSIONS

|                                          | Classic |   |   |    | Modern <span>NEW</span> |   |   |    |
|------------------------------------------|---------|---|---|----|-------------------------|---|---|----|
| <i>net dimensions<br/>width x height</i> | 4       | 6 | 8 | 12 | UNI                     | 3 | 4 | 4E |
| <b>1536 x 2014 mm</b>                    | ✓       | ✓ | ✓ | ✓  | ✓                       | ✓ | ✓ | ✓  |
| <b>1536 x 2114 mm</b>                    | ✓       | ✓ | ✓ | ✓  | ✓                       | ✓ | ✓ | ✓  |
| <b>1736 x 2014 mm</b>                    | ✓       | ✓ | ✓ | ✓  | ✓                       | ✓ | ✓ | ✓  |
| <b>1736 x 2114 mm</b>                    | ✓       | ✓ | ✓ | ✓  | ✓                       | ✓ | ✓ | ✓  |
| <b>1936 x 2314 mm</b>                    | ✓       | ✓ | ✓ | ✓  | ✓                       | ✓ | ✓ | ✓  |
| <b>1936 x 2514 mm</b>                    |         |   | ✓ |    | ✓                       | ✓ | ✓ | ✓  |

### HOW DO I CALCULATE MY DOOR OPENING?

The secret behind every STEELIT® DOOR lies in the perfect fit between door and wall. A larger door opening is needed to secure the 2-fold frame insert to the wall. The STEELIT® frame makes sure the door is mounted firmly and robustly to the wall, with a seamless finish after plastering.

| <i>Net width door</i> | <b>Minimum width of<br/>unfinished door opening</b> | <i>Net height door</i> | <b>Minimum height of<br/>unfinished door opening</b> |
|-----------------------|-----------------------------------------------------|------------------------|------------------------------------------------------|
| 1536 mm               | <b>1560 mm</b>                                      | 2014 mm                | <b>2026 mm</b>                                       |
| 1736 mm               | <b>1760 mm</b>                                      | 2114 mm                | <b>2126 mm</b>                                       |
| 1936 mm               | <b>1960 mm</b>                                      | 2314 mm                | <b>2326 mm</b>                                       |
|                       |                                                     | 2514 mm                | <b>2526 mm</b>                                       |





# SLIDE COLLECTION

---



**CLASSIC 4**




**MODERN 3**



**CLASSIC 6**



**CLASSIC 8**



**CLASSIC 12**



**MODERN UNI**



**MODERN 4**



**MODERN 4E**

# SLIDE DUO COLLECTION

---



## STEELIT® SLIDE DIMENSIONS

|                                          | Classic                                       |   |   |    | Modern  |                                                      |   |    |
|------------------------------------------|-----------------------------------------------|---|---|----|--------------------------------------------------------------------------------------------|------------------------------------------------------|---|----|
| <i>net dimensions<br/>width x height</i> | 4                                             | 6 | 8 | 12 | UNI                                                                                        | 3                                                    | 4 | 4E |
| <b>957 x 2095 mm</b>                     | ✓                                             | ✓ | ✓ | ✓  | ✓                                                                                          | ✓                                                    | ✓ | ✓  |
| <b>957 x 2295 mm</b>                     | ✓                                             | ✓ | ✓ | ✓  | ✓                                                                                          | ✓                                                    | ✓ | ✓  |
| <i>Door leaf dimensions</i>              | <b>Recommended finished door opening</b>      |   |   |    |                                                                                            | <b>Minimal space required<br/>above door opening</b> |   |    |
| 957 x 2095 mm                            | <b>min 900 x 2050 mm / max. 900 x 2090 mm</b> |   |   |    |                                                                                            | <b>160 mm</b>                                        |   |    |
| 957 x 2295 mm                            | <b>min 900 x 2250 mm / max. 900 x 2290 mm</b> |   |   |    |                                                                                            | <b>160 mm</b>                                        |   |    |

## STEELIT® SLIDE DUO DIMENSIONS

|                                          | Classic                                         |   |   |    | Modern  |                                                      |   |    |
|------------------------------------------|-------------------------------------------------|---|---|----|----------------------------------------------------------------------------------------------|------------------------------------------------------|---|----|
| <i>net dimensions<br/>width x height</i> | 4                                               | 6 | 8 | 12 | UNI                                                                                          | 3                                                    | 4 | 4E |
| <b>1914 x 2095 mm</b>                    | ✓                                               | ✓ | ✓ | ✓  | ✓                                                                                            | ✓                                                    | ✓ | ✓  |
| <b>1914 x 2295 mm</b>                    | ✓                                               | ✓ | ✓ | ✓  | ✓                                                                                            | ✓                                                    | ✓ | ✓  |
| <i>Combined door leaves dimensions</i>   | <b>Recommended finished door opening</b>        |   |   |    |                                                                                              | <b>Minimal space required<br/>above door opening</b> |   |    |
| 1914 x 2095 mm                           | <b>min 1860 x 2050 mm / max. 1860 x 2090 mm</b> |   |   |    |                                                                                              | <b>160 mm</b>                                        |   |    |
| 1914 x 2295 mm                           | <b>min 1860 x 2250 mm / max. 1860 x 2290 mm</b> |   |   |    |                                                                                              | <b>160 mm</b>                                        |   |    |

STEELIT® SLIDE doors are fitted with a soft-close system as standard.



# SLIDE INTENSE COLLECTION

---



**CLASSIC 4**



**MODERN 3**



**CLASSIC 6**



**CLASSIC 8**



**CLASSIC 12**



**MODERN UNI**



**MODERN 4**



**MODERN 4E**

# SLIDE INTENSE DUO COLLECTION

---



## STEELIT® SLIDE INTENSE DIMENSIONS

|                                          | Classic                                       |   |   |    | Modern  |                                                      |   |    |
|------------------------------------------|-----------------------------------------------|---|---|----|--------------------------------------------------------------------------------------------|------------------------------------------------------|---|----|
| <i>net dimensions<br/>width x height</i> | 4                                             | 6 | 8 | 12 | UNI                                                                                        | 3                                                    | 4 | 4E |
| <b>957 x 2095 mm</b>                     | ✓                                             | ✓ | ✓ | ✓  | ✓                                                                                          | ✓                                                    | ✓ | ✓  |
| <b>957 x 2295 mm</b>                     | ✓                                             | ✓ | ✓ | ✓  | ✓                                                                                          | ✓                                                    | ✓ | ✓  |
| <i>Door leaf dimensions</i>              | <b>Recommended finished door opening</b>      |   |   |    |                                                                                            | <b>Minimal space required<br/>above door opening</b> |   |    |
| 957 x 2095 mm                            | <b>min 900 x 2050 mm / max. 900 x 2090 mm</b> |   |   |    |                                                                                            | <b>110 mm</b>                                        |   |    |
| 957 x 2295 mm                            | <b>min 900 x 2250 mm / max. 900 x 2290 mm</b> |   |   |    |                                                                                            | <b>110 mm</b>                                        |   |    |

## STEELIT® SLIDE INTENSE DUO DIMENSIONS

|                                          | Classic                                         |   |   |    | Modern  |                                                      |   |    |
|------------------------------------------|-------------------------------------------------|---|---|----|----------------------------------------------------------------------------------------------|------------------------------------------------------|---|----|
| <i>net dimensions<br/>width x height</i> | 4                                               | 6 | 8 | 12 | UNI                                                                                          | 3                                                    | 4 | 4E |
| <b>1914 x 2095 mm</b>                    | ✓                                               | ✓ | ✓ | ✓  | ✓                                                                                            | ✓                                                    | ✓ | ✓  |
| <b>1914 x 2295 mm</b>                    | ✓                                               | ✓ | ✓ | ✓  | ✓                                                                                            | ✓                                                    | ✓ | ✓  |
| <i>Combined door leaves dimensions</i>   | <b>Recommended finished door opening</b>        |   |   |    |                                                                                              | <b>Minimal space required<br/>above door opening</b> |   |    |
| 1914 x 2095 mm                           | <b>min 1860 x 2050 mm / max. 1860 x 2090 mm</b> |   |   |    |                                                                                              | <b>110 mm</b>                                        |   |    |
| 1914 x 2295 mm                           | <b>min 1860 x 2250 mm / max. 1860 x 2290 mm</b> |   |   |    |                                                                                              | <b>110 mm</b>                                        |   |    |

STEELIT® SLIDE INTENSE doors are fitted with a soft-close system as standard.



# SLIDE AUTOMATIC COLLECTION

## STEELIT® SLIDE AUTOMATIC DIMENSIONS

|                                          | Classic                                |   |   |    | Modern |                                              |   |    |
|------------------------------------------|----------------------------------------|---|---|----|--------|----------------------------------------------|---|----|
| <i>net dimensions<br/>width x height</i> | 4                                      | 6 | 8 | 12 | UNI    | 3                                            | 4 | 4E |
| <b>NEW</b> 957 x 2095 mm                 | ✓                                      | ✓ | ✓ | ✓  | ✓      | ✓                                            | ✓ | ✓  |
| <b>NEW</b> 957 x 2295 mm                 | ✓                                      | ✓ | ✓ | ✓  | ✓      | ✓                                            | ✓ | ✓  |
| <i>Door leaf dimensions</i>              | Recommended finished door opening      |   |   |    |        | Minimal space required<br>above door opening |   |    |
| 957 x 2095 mm                            | min 900 x 2050 mm / max. 900 x 2090 mm |   |   |    |        | 100 mm                                       |   |    |
| 957 x 2295 mm                            | min 900 x 2250 mm / max. 900 x 2290 mm |   |   |    |        | 100 mm                                       |   |    |

## STEELIT® SLIDE AUTOMATIC DUO DIMENSIONS

|                                          | Classic                                  |   |   |    | Modern |                                              |   |    |
|------------------------------------------|------------------------------------------|---|---|----|--------|----------------------------------------------|---|----|
| <i>net dimensions<br/>width x height</i> | 4                                        | 6 | 8 | 12 | UNI    | 3                                            | 4 | 4E |
| <b>NEW</b> 1914 x 2095 mm                | ✓                                        | ✓ | ✓ | ✓  | ✓      | ✓                                            | ✓ | ✓  |
| <b>NEW</b> 1914 x 2295 mm                | ✓                                        | ✓ | ✓ | ✓  | ✓      | ✓                                            | ✓ | ✓  |
| <i>Combined door leaves dimensions</i>   | Recommended finished door opening        |   |   |    |        | Minimal space required<br>above door opening |   |    |
| 1914 x 2095 mm                           | min 1860 x 2050 mm / max. 1860 x 2090 mm |   |   |    |        | 100 mm                                       |   |    |
| 1914 x 2295 mm                           | min 1860 x 2250 mm / max. 1860 x 2290 mm |   |   |    |        | 100 mm                                       |   |    |



THE STEELIT® SLIDE AUTOMATIC NEEDS TO BE CONNECTED TO THE POWER SUPPLY AT THE HEIGHT OF THE RAIL.







# WOOD COLLECTION

---



## STEELIT® WOOD DIMENSIONS

| DOOR                     | Minimum dimensions of unfinished door opening | DOOR DUO       | Minimum dimensions of unfinished door opening |
|--------------------------|-----------------------------------------------|----------------|-----------------------------------------------|
| 775 x 2014 mm            | <b>800 x 2026 mm</b>                          | 1536 x 2014 mm | <b>1560 x 2026 mm</b>                         |
| 775 x 2114 mm            | <b>800 x 2126 mm</b>                          | 1536 x 2114 mm | <b>1560 x 2126 mm</b>                         |
| 875 x 2014 mm            | <b>900 x 2026 mm</b>                          | 1736 x 2014 mm | <b>1760 x 2026 mm</b>                         |
| 875 x 2114 mm            | <b>900 x 2126 mm</b>                          | 1736 x 2114 mm | <b>1760 x 2126 mm</b>                         |
| <b>NEW</b> 975 x 2114 mm | <b>1000 x 2126 mm</b>                         | 1936 x 2314 mm | <b>1960 x 2326 mm</b>                         |
| 975 x 2314 mm            | <b>1000 x 2326 mm</b>                         | 1936 x 2514 mm | <b>1960 x 2526 mm</b>                         |
| 975 x 2514 mm            | <b>1000 x 2526 mm</b>                         |                |                                               |

| SLIDE,<br>SLIDE INTENSE,<br>SLIDE AUTOMATIC | Recommended finished door opening               | SLIDE DUO,<br>SLIDE INTENSE DUO<br>& SLIDE AUTOMATIC DUO | Recommended finished door opening                 |
|---------------------------------------------|-------------------------------------------------|----------------------------------------------------------|---------------------------------------------------|
| 957 x 2095 mm                               | <b>min 900 x 2050 mm<br/>max. 900 x 2090 mm</b> | 1914 x 2095 mm                                           | <b>min 1860 x 2050 mm<br/>max. 1860 x 2090 mm</b> |
| 975 x 2295 mm                               | <b>min 900 x 2250 mm<br/>max. 900 x 2290 mm</b> | 1914 x 2295 mm                                           | <b>min 1860 x 2250 mm<br/>max. 1860 x 2290 mm</b> |

## HOUTSTRUCTUUR

|                                                                                                | Houtstructuur                           |
|------------------------------------------------------------------------------------------------|-----------------------------------------|
|  Oak Prime  | Oak veneer panel in first choice finish |
|  Oak Rustic | Oak veneer panel in rustic finish       |

# WOOD COLOR TREATMENTS



|                   | Houtstructuur        |
|-------------------|----------------------|
| Untreated         | Standard - untreated |
| Natural oak oil   | Option               |
| Weathered oak oil | Option               |

# DOOR HANDLE OPTIONS



|                                                       |          |
|-------------------------------------------------------|----------|
| Standard door handle                                  | Standard |
| Modern door handle                                    | Option   |
| Standard & modern door handle in satin-finished brass | Option   |



|           | WOOD                              |
|-----------|-----------------------------------|
| Cabinhook | Characteristic closure - Optional |



# INVISIBLE S10 COLLECTION

The STEELIT® INVISIBLE S10 door with **wooden frame** is fitted with **four built-in adjustable hinges**. In contrast to other STEELIT® DOORS, STEELIT® INVISIBLE doors do not have a steel frame. The invisible hinges are used to bring the door perfectly in line with the wooden frame.

## STEELIT® INVISIBLE S10 DIMENSIONS

|                                          | Classic |   |   |    | Modern |   |   |    |
|------------------------------------------|---------|---|---|----|--------|---|---|----|
| <i>net dimensions<br/>width x height</i> | 4       | 6 | 8 | 12 | UNI    | 3 | 4 | 4E |
| <b>NEW</b> 830 x 2015 mm                 | ✓       | ✓ | ✓ | ✓  | ✓      | ✓ | ✓ | ✓  |
| <b>NEW</b> 830 x 2115 mm                 | ✓       | ✓ | ✓ | ✓  | ✓      | ✓ | ✓ | ✓  |
| <b>NEW</b> 930 x 2115 mm                 | ✓       | ✓ | ✓ | ✓  | ✓      | ✓ | ✓ | ✓  |
| <b>NEW</b> 930 x 2315 mm                 | ✓       | ✓ | ✓ | ✓  | ✓      | ✓ | ✓ | ✓  |

| <i>Net width door</i> | Minimum width of<br>unfinished door opening | <i>Net height door</i> | Minimum height of<br>unfinished door opening |
|-----------------------|---------------------------------------------|------------------------|----------------------------------------------|
| 830 mm                | <b>918 mm</b>                               | 2015 mm                | <b>2069 mm</b>                               |
| 930 mm                | <b>1018 mm</b>                              | 2115 mm                | <b>2169 mm</b>                               |
|                       |                                             | 2315 mm                | <b>2369 mm</b>                               |

# INVISIBLE S20 COLLECTION

The STEELIT® INVISIBLE S20 door with an **aluminium frame** is fitted with **four built-in adjustable hinges**. In contrast to other STEELIT® DOORS, STEELIT® INVISIBLE doors do not have a steel frame. The invisible hinges are used to bring the door perfectly in line with the aluminium frame.

## STEELIT® INVISIBLE S20 DIMENSIONS

|                                          |                      | Classic |   |   |    | Modern |   |   |    |
|------------------------------------------|----------------------|---------|---|---|----|--------|---|---|----|
| <i>net dimensions<br/>width x height</i> |                      | 4       | 6 | 8 | 12 | UNI    | 3 | 4 | 4E |
| <b>NEW</b>                               | <b>830 x 2015 mm</b> | ✓       | ✓ | ✓ | ✓  | ✓      | ✓ | ✓ | ✓  |
| <b>NEW</b>                               | <b>830 x 2115 mm</b> | ✓       | ✓ | ✓ | ✓  | ✓      | ✓ | ✓ | ✓  |
| <b>NEW</b>                               | <b>930 x 2115 mm</b> | ✓       | ✓ | ✓ | ✓  | ✓      | ✓ | ✓ | ✓  |
| <b>NEW</b>                               | <b>930 x 2315 mm</b> | ✓       | ✓ | ✓ | ✓  | ✓      | ✓ | ✓ | ✓  |

| <i>Net width door</i> | <b>Minimum width of<br/>unfinished door opening</b> | <i>Net height door</i> | <b>Minimum height of<br/>unfinished door opening</b> |
|-----------------------|-----------------------------------------------------|------------------------|------------------------------------------------------|
| 830 mm                | <b>900 mm</b>                                       | 2015 mm                | <b>2060 mm</b>                                       |
| 930 mm                | <b>1000 mm</b>                                      | 2115 mm                | <b>2160 mm</b>                                       |
|                       |                                                     | 2315 mm                | <b>2360 mm</b>                                       |



**THIS MODULAIR COMBINATION**

**W 2636 x H 2500 mm**

STEELIT® CLASSIC 8 DUO

2 x SIDE Modulair Classic 8

1 x TOP Modulair TMT202



DISCOVER THE MODULAIR CONCEPT



1



2



3


# MODULAIR DOOR COLLECTION

The STEELIT® range has been carefully expanded with a collection of side and top windows in standard dimensions. This provides us with endless possibilities to combine these windows with our standard STEELIT® MODULAIR DOOR or STEELIT® MODULAIR DOOR DUO. As a result, we offer solutions for wider or higher door openings, without compromising on our competitive prices compared to custom-made solutions.

| Combinations only possible with these door dimensions |                | STEELIT®<br>SIDE MODULAIR | STEELIT®<br>TOP MODULAIR |
|-------------------------------------------------------|----------------|---------------------------|--------------------------|
| STEELIT® MODULAIR DOOR                                |                | Compatible                | Compatible               |
| 875 x 2114 mm                                         |                | ✓                         | ✓                        |
| NEW                                                   | 975 x 2314 mm  | ✓                         | -                        |
| Combinations only possible with these door dimensions |                | STEELIT®<br>SIDE MODULAIR | STEELIT®<br>TOP MODULAIR |
| STEELIT® MODULAIR DOOR DUO                            |                | Compatible                | Compatible               |
| 1736 x 2114 mm                                        |                | ✓                         | ✓                        |
| NEW                                                   | 1936 x 2314 mm | ✓                         | -                        |

## A FEW EXAMPLES


|   | STEELIT®<br>MODULAIR DOOR | STEELIT® MODULAIR                     | net dimensions<br>width x height |
|---|---------------------------|---------------------------------------|----------------------------------|
| 1 | Modulair Modern 4 DUO     | 4 x SIDE Modulair                     | 3736 x 2314 mm                   |
| 2 | Modulair Modern 4         | 1 x SIDE Modulair<br>1 x TOP Modulair | 1325 x 2600 mm                   |
| 3 | Modulair Classic 6 DUO    | 2 x SIDE Modulair<br>1 x TOP Modulair | 2636 x 2500 mm                   |



## STEELIT® **SIDE MODULAIR** DIMENSIONS

A SIDE MODULAIR window is fastened to the **left and/or right** hand side of a STEELIT® DOOR. Feeling creative? Use a SIDE MODULAIR as a stand-alone window in rooms where you need natural light.

|                          | <b>Classic</b> |   |   | <b>Modern</b> |   |   |    |
|--------------------------|----------------|---|---|---------------|---|---|----|
| <i>width x height</i>    | 4              | 6 | 8 | UNI           | 3 | 4 | 4E |
| 450 x 2114 mm            | ✓              | ✓ | ✓ | ✓             | ✓ | ✓ | ✓  |
| <b>NEW</b> 900 x 2114 mm | ✓              | ✓ | ✓ | ✓             | ✓ | ✓ | ✓  |
| <b>NEW</b> 450 x 2314 mm | ✓              | ✓ | ✓ | ✓             | ✓ | ✓ | ✓  |
| <b>NEW</b> 900 x 2314 mm | ✓              | ✓ | ✓ | ✓             | ✓ | ✓ | ✓  |



## STEELIT® TOP MODULAIR DIMENSIONS

A TOP MODULAIR window is **fastened above** a STEELIT® DOOR. Choose a single MODULAIR DOOR or MODULAIR DOOR DUO combination or match with one or two SIDE MODULAR windows.

|                       | DOOR          |               |               | DOOR DUO      |               |               |
|-----------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| <i>width x height</i> | <b>TMT100</b> | <b>TMT101</b> | <b>TMT102</b> | <b>TMT200</b> | <b>TMT201</b> | <b>TMT202</b> |
| 386 mm (TMT)          | 875 mm        | 1325 mm       | 1775 mm       | 1736 mm       | 2186 mm       | 2636 mm       |

| <i>width x height</i> | <b>TMT+100</b> | <b>TMT+101</b> | <b>TMT+102</b> | <b>TMT+200</b> | <b>TMT+201</b> | <b>TMT+202</b> |
|-----------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| 486 mm(TMT+)          | 875 mm         | 1325 mm        | 1775 mm        | 1736 mm        | 2186 mm        | 2636 mm        |



**ONLY IN COMBINATION WITH DOORS IN 2114 MM HEIGHT**





[www.steelitdoors.co.uk](http://www.steelitdoors.co.uk)  
[info@steelitdoors.co.uk](mailto:info@steelitdoors.co.uk)  
+44 (0) 28 9085 0610